Author Index

Allison, D. J.	On the measurement of variations in the spin velocity of a wheel	149–156
Asmar, B. N.	A process engineering approach to the ALSTOM gasifier problem	441–452
Barton, A. D.	Experimental comparison of the performance of different chain conveyor controllers	361–369
Bicker, R.	Development of a non-linear force controller using fuzzy logic techniques	197–206
Billings, S. A.	Reconstruction of the multiple-input multiple-output non-linear differential equation models from the generalized frequency response function matrix	35–51
Brett, P. N.	A tactile sensing surface for artificial neural network based automatic recognition of the contact force position	207–215
Bulut, S.	The robustness of reduced order minimal controller synthesis control in the plastic region	185–195
Burn, K.	Development of a non-linear force controller using fuzzy logic techniques	197–206
Chipperfield, A. J.	Multi-objective optimization approach to the ALSTOM gasifier problem	453–468
Cho, H. S.	Friction compensation control of an electropneumatic servovalve by using an evolutionary algorithm	173–184
Cho, S. H.	Adaptive sliding mode tracking control of hydraulic servosystems with unknown non-linear friction and modelling error	247–257
Choi, S. H.	Friction compensation control of an electropneumatic servovalve by using an evolutionary algorithm	173–184
Chotai, A.	Proportional–integral-plus (PIP) control of the ALSTOM gasifier problem	469–480
Daley, S.	Stable observer-based controller design for robust state-feedback pole assignment	313–318
Daley, S.	Multi-objective optimal tuning proportional–integral controller design for the ALSTOM gasifier problem	395–404
Dixon, R.	The ALSTOM benchmark challenge on gasifier control	389–394
Dixon, R.	Multi-objective optimal-tuning proportional–integral controller design for the ALSTOM gasifier problem	395–404
Dobson, A.	Design of a reduced-rule self-organizing fuzzy logic controller for water hydraulic applications	371–381
Donne, M. S.	The ALSTOM benchmark challenge on gasifier control	389–394
Duan, G. R.	Stable observer-based controller design for robust state-feedback pole assignment	313–318
Dukkipati, R. V.	Numerical approach for axisymmetric piezoceramic geometries towards fluid control applications	87–97
Ebrahimi, E.	Optimum regulation of process systems with particular reference to an industrial boiler	335–345
Edge, K. A.	Reduction of axial piston pump pressure ripple	53–63
Edge, K. A.	Adaptive sliding mode tracking control of hydraulic servosystems with unknown non-linear friction and modelling error	247–257
Edmonds, J. M.	A sequential loop closing approach to the ALSTOM gasifier problem	427–439
Fang, Y.	New stability criteria for a class of systems arising in neural network control and fuzzy systems	1–7
Fleming, P. J.	Multi-objective optimization approach to the ALSTOM gasifier problem	453–468
Frank, P. M.	An analytical comparison between classical and fuzzy state feedback with application to the inverted pendulum	23–33
Frank, P. M.	Finite-dimensional variable structure control design for systems with a single time delay	273–282
Fujimori, A.	Navigation of sonar-equipped mobile robot with real-time local map building	319–325
Gaura, E. I.	Closed-loop neural network controlled accelerometer	129–138
Griffin, I. A.	Multi-objective optimization approach to the ALSTOM gasifier problem	453–468
Grosvenor, R. I.	The development of novel control valve diagnostic software based on the Visual Basic programming language	99–127
Hackenburg, P.	Gradient-based control and optimization of boundary layer transition	347–359
Harrison, A. M.	Reduction of axial piston pump pressure ripple	53–63
Huang, S.-J.	Fuzzy logic controller for a retrofitted closed-loop injection moulding machine	9–21
Impram, S. T.	A sequential loop closing approach to the ALSTOM gasifier problem	427–439
Jones, E.	Design of a reduced-rule self-organizing fuzzy logic controller for water hydraulic applications	371–381
Jones, W. E.	A process engineering approach to the ALSTOM gasifier problem	441–452

© IMechE 2000

Kincaid, T. G.	New stability criteria for a class of systems arising in neural network control and fuzzy systems	1–7
Klotzek, P.	An analytical comparison between classical and fuzzy state feedback with application to the inverted pendulum	23–33
Kontogiannis, E.	A sequential loop closing approach to the ALSTOM gasifier problem	427–439
Kosaraju, C. B.	Numerical approach for axisymmetric piezoceramic geometries towards fluid control applications	87–97
Lam, J.	Robust output feedback pole assignment using genetic algorithm	327–334
Lee, C. O.	Friction compensation control of an electropneumatic servovalve by using an evolutionary algorithm	173–184
Lee, T.-H.	Fuzzy logic controller for a retrofitted closed-loop injection moulding machine	9–21
Lewin, P. L.	Experimental comparison of the performance of different chain conveyor controllers	361–369
Li, S.	New stability criteria for a class of systems arising in neural network control and fuzzy systems	1–7
Li, Y.	Evolutionary L_∞ identification and model reduction for robust control	231–237
Li, Z.	A tactile sensing surface for artificial neural network based automatic recognition of the contact force position	207–215
Lin, W.	Linearization techniques in fault diagnosis of non-linear systems	241–245
Ling, C. S.	Stability and robustness for discrete-time systems with control signal saturation	65–76
Lisini, G. G.	H_∞ control system for a four-high stand rolling mill	79–86
Liu, G. P.	Stable observer-based controller design for robust state-feedback pole assignment	313–318
Liu, G. P.	Multi-objective optimal-tuning proportional–integral controller design for the ALSTOM gasifier problem	395–404
Lucas, T. N.	Enhancement of the least-squares Padé method for discrete systems	139–148
Lucas, T. N.	Flexible time-response matching in discrete model reduction	383–386
Luh, G.-C.	Inversion control of non-linear systems with an inverse NARX model identified using genetic algorithms	259–271
McCabe, A. P.	Proportional–integral-plus (PIP) control of the ALSTOM gasifier problem	469–480
Munro, N.	A sequential loop closing approach to the ALSTOM gasifier problem	427–439
Naganathan, N. G.	Numerical approach for axisymmetric piezoceramic geometries towards fluid control applications	87–97
Nelson, P. A.	Gradient-based control and optimization of boundary layer transition	347–359
Nezu, K.	Prognosis of remaining bearing life using neural networks	217–230
Ogawa, Y.	Navigation of a sonar-equipped mobile robot with real-time local map building	319–325
Ordys, A. W.	Comparisons of H_∞ control and generalized predictive control for a laser scanner system	283–297
Peelamedu, S. M.	Numerical approach for axisymmetric piezoceramic geometries towards fluid control applications	87–97
Pike, A. W.	The ALSTOM benchmark challenge on gasifier control	389–394
Plummer, A. R.	Stability and robustness for discrete-time systems with control signal saturation	65–76
Postlethwaite, I.	A new two-degree-of-freedom gain scheduling method applied to the Lynx MK7	299–311
Postlethwaite, I.	Robust control of the gasifier using a mixed-sensitivity H_∞ approach	415–426
Prempain, E.	A new two-degree-of-freedom gain scheduling method applied to the Lynx MK7	299–311
Prempain, E.	Robust control of the gasifier using a mixed-sensitivity H_∞ approach	415–426
Rice, M. J.	An advanced predictive control approach to the ALSTOM gasifier problem	405–413
Rider, R. J.	Closed-loop neural network controlled accelerometer	129–138
Roskilly, A. P.	Design of a reduced-rule self-organizing fuzzy logic controller for water hydraulic applications	371–381
Rossiter, J. A.	An advanced predictive control approach to the ALSTOM gasifier problem	405–413
Schroder, P.	Multi-objective optimization approach to the ALSTOM gasifier problem	453–468
Schuurmans, J.	An advanced predictive control approach to the ALSTOM gasifier problem	405–413
Shao, Y.	Prognosis of remaining bearing life using neural networks	217–230
Sharif, M. A.	The development of novel control valve diagnostic software based on the Visual Basic programming language	99–127
Sharp, R. S.	On the measurement of variations in the spin velocity of a wheel	149–156
Smillie, I.	Comparisons of H_∞ control and generalized predictive control for a laser scanner system	283–297
Steele, N.	Closed-loop neural network controlled accelerometer	129–138
Stoustrup, J.	Comparisons of H_∞ control and generalized predictive control for a laser scanner system	283–297
Sun, X. D.	Robust control of the gasifier using a mixed-sensitivity H_∞ approach	415–426
Swain, A. K.	Reconstruction of the multiple-input multiple-output non-linear differential equation models from the generalized frequency response function matrix	35–51
Tam, H. K.	Robust output feedback pole assignment using genetic algorithm	327–334
Tan, K. C.	Evolutionary L_∞ identification and model reduction for robust control	231–237

© IMechE 2000

Taylor, C. J.	Proportional–integral-plus (PIP) control of the ALSTOM gasifier problem	469–480
Teramoto, M.	Navigation of a sonar-equipped mobile robot with real-time local map building	319–325
Toni, P.	H_∞ control system for a four-high stand rolling mill	79–86
Tutty, O. R.	Gradient-based control and optimization of boundary layer transition	347–359
Valigi, M. C.	H_∞ control system for a four-high stand rolling mill	79–86
Wang, H.	Linearization techniques in fault diagnosis of non-linear systems	241–245
Wang, J. L.	Non-fragile H_∞ flight controller design for large bank-angle tracking manoeuvres	157–172
Whalley, R.	Optimum regulation of process systems with particular reference to an industrial boiler	335–345
Wilson, J. A.	A process engineering approach to the ALSTOM gasifier problem	441–452
Wu, C.-Y.	Inversion control of non-linear systems with an inverse NARX model identified using genetic algorithms	259–271
Yang, G.-H.	Non-fragile H_∞ flight controller design for large bank-angle tracking manoeuvres	157–172
Yee, J.-S.	Non-fragile H_∞ flight controller design for large bank-angle tracking manoeuvres	157–172
Young, P. C.	Proportional–integral-plus (PIP) control of the ALSTOM gasifier problem	469–480
Zheng, F.	Finite-dimensional variable structure control design for systems with a single time delay	273–282

© IMechE 2000